

Amendments to the Specification:

Please amend the specification as follows:

Please replace the paragraph beginning on Page 30 Line 18 of the specification and
5 continuing through Line 11 of Page 31 of the specification with the following
replacement paragraph:

According to one alternative embodiment, the recall notice server 175 further
consults the notice type table 120 in order to retrieve an urgency level. And,
10 according to one alternative embodiment, the recall notice server 175
retrieves a textual message from a particular record in the notice type table
120 according to the product index and a notice identifier. The term "notice
identifier" and "recall notice identifier", which are used interchangeably in this
application, mean a descriptor of the particular recall notice being sent, rather
15 than a descriptor of any particular element in the product or products being
recalled. Also, the notice identifier or recall notice identifier is stored with the
textual description of the recall notice, so that the textual description can be
retrieved by knowing the recall notice identifier. This information is included in
a signal command 210 that the recall notice server 175 dispatches to the
20 signal transmitter 185. The signal transmitter 185 of one embodiment
incorporates the urgency level into the recall signal that it conveys to the
target product 215 (e.g. by conveying the message to a determined channel).
According to one alternative example embodiment of the invention, the signal
transmitter 185 included a textual message into the recall signal that it
25 conveys to the target product 215. The recall notice server 175, according to
yet another illustrative embodiment of the invention, also determines if a
particular notice requires acknowledgment from the product that is the subject

of the recall notice. This is done by consulting the acknowledgment field 150 that comprises the notice type table 120. This information may further comprise the signal command 210. Some variations of the present method may not include an urgency level in the signal command 210. According to
5 other variations of the present method, a signal command 210 also comprises the notice type identifier that is used to indicate to the receiving means the type of notice that spawned the recall signal. But typically, this notice type indicator corresponds to a notice identifier for a particular notice type reflected by the record in the notice type table 120 that is stored in the notice
10 management database 180.

Appl. No. 10/615,412
Amendment Date: April 5, 2006
Reply to Office Action of December 14, 2005
And Notice of March 6, 2006

Respectfully submitted,



Jack I. J'maev
Attorney for Applicant
Reg. No. 45,669

Intellectual Property Development
Customer Number 000054556
14175 Telephone Ave. Suite L
Chino, CA 91710
909-563-8402 (Desk)
909-563-8390 (Cell)